



Turpentine Substitute Technical Data Sheet

Health and Safety

See MSDS for full information.

Technical Data

Measurement	Value	Test Method
Physical State	Liquid	Visual
Colour	Colourless	Visual
Odour	Distinctive hydrocarbon type	
Density	770 kg/m ³ (minimum)	ASTM D 4052
Boiling Point	158 - 190°C	ISO 3405
Flash point	38 - 40°C	IP 170
Aromatic content	25% vol	IP 139
Benzene Content	100ppm (maximum)	CPG

Packing Specification

<u>Pack Size</u>	<u>Product Code</u>	<u>Pack Barcode</u>	<u>Carton Barcode</u>	<u>Packs Per Carton</u>	<u>Cartons Per Pallet</u>	<u>Packs Per Pallet</u>	<u>Ti</u>	<u>Hi</u>
750ml	19515070	5010789515133	05010789515089	12	68	816	17	4
2 Litre	19514990	5010789514990	05010789515003	8	44	352	11	4
4 Litre	19515390	5010789515393	05010789515409	4	40	160	10	4
20 Litre	19512070	N/A	N/A	N/A	N/A	42	14	3

Customs Tariff Code

2710 1221

Shipping Classification

Correct Shipping Name: Turpentine Substitute (White Spirit)
Classification: Class 3
UN Number: UN 1300
Packing Group: III
Flash Point: 40°C
Additional Information: Marine Pollutant